



INTENSE

***NO SHUTTLE REQUIRED***  
TAZER MX ALLOY PRO

INTENSE

TAZER MX ALLOY PRO

- 27.9 WHEEL SIZE SET-UP
- SHIMANO EP8 MOTOR
- SEAMLESS PEDAL TO POWER TRANSITION
- 170/155 F/R SUSPENSION TRAVEL

# TAZER MX ALLOY<sup>PRO</sup>

Inspired by motocross, and built for the motorsports enthusiast. If you're an adrenaline junkie like us, tearing down a hill or jumping a huge boulder with an eBike will definitely get your blood pumping. The pedal-assist Tazer MX Alloy PRO allows you to ride where you want, when you want, and at a pace that works for you.

*"This is a bike that allows for a lot of fun and long rides. We have created an authentic ride experience for the off-road enthusiast, and with the adjustable modes you can tailor your ride to go as fast or as long as you want"*  
Ryan Dungey, 4x SX and 3x MX National Champ, and INTENSE co-owner.

The Tazer MX Alloy PRO now features a new durable and more compatible aluminium frame, further enhancing its MX credentials. Whether you're exploring twisty singletrack forest trails or conquering a steep climb, the added boost of the Tazer MX's electric-assisted riding is there when you want it.



INTENSE

TAZER MX ALLOY PRO

# TAZER MX ALLOY<sup>PRO</sup>





### **SHIMANO STEPS**

Smooth and powerful EP8 motor, featuring the neatest and sleekest display of any electric system. SHIMANO is quality through and through.



### **JS TUNED ENDURO LINK**

Designed with eBike characteristics in mind, offering incredibly smooth performance on mixed terrain, with great pedaling efficiency and suspension performance.



### **INTEGRATED REMOVABLE BATTERY**

Simplicity itself. The design of the Tazer MX means that you can charge the battery either in the bike or take it out to charge elsewhere.



### **INTEGRATED MUD AND FLAK GUARDS**

We use burly integrated Mud and Flak Guards on the Tazer MX to protect the frame and motor from rock strikes and track debris.



### **INTERNAL CABLE ROUTING**

Internal routing for shifter, dropper post, rear brake and display cables. Making the Tazer neat, tidy and noise free.



### **ESPEC CHAINGUIDE MOUNTS**

eBike specific mounts for a chain device or bashguard. The Tazer MX is supplied with a chain device as standard.

### **ALL-NEW 6061 T6 ALLOY FRAME**

The new Tazer Alloy frame takes us back to our roots. Custom hydroformed tubes are designed to be compatible on rough terrain, with durability built-in as standard.

# INTENSE

## TAZER MX ALLOY PRO - SPECIFICATION



### **NEW SHIMANO 630WH BATTERY**

New larger capacity 630Wh battery means more miles, more riding time and fun.

### **SHIMANO EP8 MOTOR**

SHIMANO EP8 drive unit gives you all the assist you need to make it up the steepest climbs with ease.

### **ÖHLINS SUSPENSION**

'Swedish Gold'. Öhlins 170mm single crown fork and 155mm coil rear shock gives you confidence on the trail.

### **AGGRESSIVE GEOMETRY**

64° head angle achieves an aggressive geometry ready for any terrain.

### **MIXED WHEEL SIZE**

29" front and 27.5+ rear wheels easily roll over all obstacles on the trail. Creating a bike that is capable, fast and fun, giving you stability and trail flattening speed.

### **WORLD CUP WINNING STOPPING POWER**

TRP DH-R EVO hydraulic brakes provide proven, powerful and consistent braking.

### **TRP DRIVETRAIN**

TRP EVO 12-speed drivetrain provides you with all the gears you need to tackle the toughest terrain.

### **PIRELLI SCORPION TIRES**

High performance eBike specific tires from Pirelli.

## TAZER MX ALLOY PRO FULL BUILD SPECS

<b>FRAME</b>	6061-T6 ALLOY FRONT AND REAR TRIANGLE WITH INTERNAL CABLE ROUTING
<b>FORK</b>	ÖHLINS RXF 38 M2 FORK, SINGLE CROWN, 170MM TRAVEL, AIR SPRING SYSTEM
<b>SHOCK</b>	ÖHLINS TTX22M COIL, 155MM TRAVEL, HIGH/LOW SPEED COMPRESSION ADJUSTMENT, REBOUND ADJUSTMENT - SPRING 548LB (S/M) AND 640LB (L/XL)
<b>MOTOR</b>	SHIMANO STEPS EP800
<b>BATTERY</b>	SHIMANO BT-E8036 - 630 WH BATTERY LOCK W/2 KEYS
<b>DISPLAY</b>	SHIMANO STEPS LCD, BLUETOOTH COMPATIBLE
<b>BRAKES</b>	TRP HD-M846 DH-R EVO, 203MM ROTORS
<b>SHIFTER</b>	TRP EVO 12 12SP
<b>DERAILLEUR</b>	TRP EVO 12 12SP
<b>CRANKS</b>	E*THIRTEEN E*SPEC PLUS 165MM, 34T
<b>CASSETTE</b>	E*THIRTEEN HELIX PLUS 12SP, 9-50T
<b>CHAIN</b>	KMC E12 12SP
<b>WHEELSET</b>	E*THIRTEEN E*SPEC ALLOY RIM 30MM RIM WIDTH X 29" FRONT / 35MM RIM WIDTH X 27.5" REAR
<b>HUBS</b>	INTENSE E-SPECIFIC ALLOY HUBS
<b>TIRES</b>	PIRELLI SCORPION™ E-MTB S 29 X 2.60" / PIRELLI SCORPION™ E-MTB R 27.5 X 2.80"
<b>SEATPOST</b>	INTENSE RECON DROPPER POST - 125MM LENGTH (S/M) 150MM LENGTH (L/XL)
<b>SADDLE</b>	SDG BEL-AIR V3
<b>HANDLEBAR</b>	RENTHAL FATBAR 35 800MM, 30MM, RISE
<b>STEM</b>	INTENSE RECON 35MM OD X 45MM LENGTH
<b>GRIPS</b>	ODI ELITE FLOW
<b>WEIGHT</b>	23.9KG / 52LB 11OZ (SIZE S/M, TUBELESS, WITH PEDALS)

# INTENSE

## TAZER MX ALLOY PRO - GEOMETRY



TAZER MX ALLOY PRO // SIZE L/XL

**REACH** // 481MM  
**STACK** // 646MM  
**HEAD ANGLE** // 64°

**SEAT ANGLE** // 74.5°  
**WHEELBASE** // 1285MM  
**CHAINSTAY** // 450MM

### TAZER MX ALLOY PRO

SIZE	SMALL/MEDIUM	LARGE/X-LARGE
WHEELBASE	1233 MM / 48.5"	1285 MM / 50.6"
TOPTUBE LENGTH	609 MM / 24"	664 MM / 26"
CHAINSTAY LENGTH	450 MM / 17.7"	450 MM / 17.7"
HEADTUBE LENGTH	115 MM / 4.5"	125 MM / 4.9"
HEADTUBE ANGLE	64°	64°
REACH	435 MM / 17.1"	481 MM / 18.9"
STACK	634 MM / 24.9"	646 MM / 25.4"
BB HEIGHT	348 MM / 13.7"	348 MM / 13.7"
BB DROP	17 MM / 0.65"	17 MM / 0.65"
SEATTUBE ANGLE (EFFECTIVE)	74.5°	74.5°
SEATTUBE ANGLE (ACTUAL)	72.2°	72.2°
SEATTUBE LENGTH	420 MM / 16.5"	470 MM / 18.5"
STANDOVER HEIGHT	816 MM / 32"	836 MM / 32.9"

**INTENSE**

TAZER MX ALLOY PRO - **PARTNERS**

**TEAMING UP WITH THE BEST OF BOTH WORLDS**  
**THE CONVERGENCE OF MOTO & MTB**





**INTENSE**

DISTRIBUTED BY

**PARTS  
EUROPE**

Parts Europe GmbH  
Conrad-Röntgen-Straße 2  
54332 Wasserliesch/Trier  
Germany

TEL.: +49 (0) 6501 9695 - 2000  
FAX.: +49 (0) 6501 9695 - 2650

[SALES@PARTSEUROPE.EU](mailto:SALES@PARTSEUROPE.EU)

[WWW.PARTSEUROPE.EU](http://WWW.PARTSEUROPE.EU)

**INTENSE**

INTENSE Cycles Europe GmbH  
Auerspergstrasse 29/10  
5020 Salzburg  
AUSTRIA

[EU@INTENSECYCLES.COM](mailto:EU@INTENSECYCLES.COM)

[WWW.INTENSECYCLES.COM](http://WWW.INTENSECYCLES.COM)

